



RANGE NAME	Endurastone Flamed
SHAPE	Bullnose 400x400x20
COLOURS	Silver Granite, Grey Granite, Black Granite

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (LENGTH X WIDTH X HEIGHT MM)	400x400x20
DIMENSIONAL CATEGORY	DPA2
AVERAGE WEIGHT (KG)	9.791
AVERAGE NUMBER PER TONNE	102.1
NUMBER PER M ²	6.25
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	6.9
MEAN COLD WATER ABSORPTION (%)	2.1
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P4

AM-P- SQLD-000140

Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013



RANGE NAME	Endurastone Flamed
SHAPE	Bullnose 400x400x30
COLOURS	Silver Granite, Grey Granite, Black Granite

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (LENGTH X WIDTH X HEIGHT MM)	400x400x30
DIMENSIONAL CATEGORY	DPA2
AVERAGE WEIGHT (KG)	14.778
AVERAGE NUMBER PER TONNE	67.7
NUMBER PER M ²	6.25
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	26.5
MEAN COLD WATER ABSORPTION (%)	2.1
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P4

AM-P- SQLD-000143

Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013



RANGE NAME	Endurastone Flamed
SHAPE	Bullnose 600x400x20
COLOURS	Silver Granite, Grey Granite

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (LENGTH X WIDTH X HEIGHT MM)	600x400x20
DIMENSIONAL CATEGORY	DPA2
AVERAGE WEIGHT (KG)	12.98
AVERAGE NUMBER PER TONNE	77
NUMBER PER M ²	4.166
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	2.8
MEAN COLD WATER ABSORPTION (%)	2.3
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P4

AM-P- SQLD-000145

Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013



RANGE NAME	Endurastone Flamed
SHAPE	Standard 400x400x20
COLOURS	Silver Granite, Grey Granite, Black Granite

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (LENGTH X WIDTH X HEIGHT MM)	400x400x20
DIMENSIONAL CATEGORY	DPA2
AVERAGE WEIGHT (KG)	9.971
AVERAGE NUMBER PER TONNE	102.1
NUMBER PER M ²	6.25
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	6.9
MEAN COLD WATER ABSORPTION (%)	2.1
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P4

AM-P- SQLD-000130

Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013



RANGE NAME	Endurastone Flamed
SHAPE	Standard 400x400x30
COLOURS	Silver Granite, Grey Granite, Black Granite

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (LENGTH X WIDTH X HEIGHT MM)	400x400x30
DIMENSIONAL CATEGORY	DPA2
AVERAGE WEIGHT (KG)	14.778
AVERAGE NUMBER PER TONNE	67.7
NUMBER PER M ²	6.25
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	26.5
MEAN COLD WATER ABSORPTION (%)	2.1
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P4

AM-P- SQLD-000133

Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013



RANGE NAME	Endurastone Flamed
SHAPE	Standard 600x400x20
COLOURS	Silver Granite, Grey Granite

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (LENGTH X WIDTH X HEIGHT MM)	600x400x20
DIMENSIONAL CATEGORY	DPA2
AVERAGE WEIGHT (KG)	12.98
AVERAGE NUMBER PER TONNE	77
NUMBER PER M ²	4.2
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	2.8
MEAN COLD WATER ABSORPTION (%)	2.3
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P4

AM-P- SQLD-000135

Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013



RANGE NAME	Endurastone Flamed
SHAPE	Standard 600x400x30
COLOURS	Silver Granite, Grey Granite

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (LENGTH X WIDTH X HEIGHT MM)	600x400x30
DIMENSIONAL CATEGORY	DPA2
AVERAGE WEIGHT (KG)	18.98
AVERAGE NUMBER PER TONNE	52.7
NUMBER PER M ²	4.2
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	8.6
MEAN COLD WATER ABSORPTION (%)	2.3
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P4

AM-P- SQLD-000137

Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013